



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/788,854	02/27/2004	Rory Smith	1116109-0030	6844

26874 7590 01/11/2007  
FROST BROWN TODD, LLC  
2200 PNC CENTER  
201 E. FIFTH STREET  
CINCINNATI, OH 45202

EXAMINER
----------

SALATA, ANTHONY J

ART UNIT	PAPER NUMBER
----------	--------------

2837

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	01/11/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

## Office Action Summary

Application No.

10/788,854

Applicant(s)

SMITH ET AL.

Examiner

Jonathan Salata

Art Unit

2837

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_.

Art Unit: 2837



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY AND COMMISSIONER OF PATENTS AND  
TRADEMARKS  
Washington, D.C. 20231

Paper No:20070104

Application No: 10/788854

Filing Date: February 27,2004

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed. It should be brief but technically accurate and descriptive, preferably from two to seven words. See 37 CFR 1.72(a).

2. The Abstract of the Disclosure is objected to because "comprises", lines 5,9, must be deleted. Correction is required. See M.P.E.P. § 608.01(b).

Applicant is reminded of the proper language and format of an Abstract of the Disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 250 words. It is important that the abstract not exceed 250 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said", should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

Art Unit: 2837

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "one or more motors, solid-state devices, control system output device, solid state device gate, 3 phase ac power source, transformer, filter, scr, contactors connected to transformer and coil, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. The drawings are objected to because the blank rectangular boxes and/or merely numbered boxes of figure 1 must be labeled. Conventional features disclosed in the description and claims, where their detailed illustration is not essential for a proper understanding of the invention, should be illustrated in the form of a graphical drawing symbol or a labeled representation (e.g., a labeled rectangular box). see 37 CFR 1.83(a). It is further pointed out that merely numbering the boxes is not considered an appropriate label. Structural elements which can be understood by conventional graphical drawing elements are not required to be labeled. Electronic elements enclosed in a "black box" require consulting

Art Unit: 2837

the text of the specification and thus require labeling. If the box is too small to label, an appropriate label with an arrow pointing towards the box is acceptable. Correction is required.

5. Claims 1-8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The terminology changes throughout the claims with reference to one or more drives/solid state devices. At times the alternative is used such as "one or more or drive(s)" but in other instances the terminology refers to "each" or "the gate".

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claims 1,2 4/1,8/1 are rejected under 35 U.S.C. 102(b) as being anticipated by Nomura (4479565).

Nomura teaches in figures 1-9, an elevator control apparatus.

An AC power supply grid R,S,T is connected to a variable speed motor 3 for an elevator car 9.

Magnetic contacts (include coil LC) 15a-15c are operated by unit 20 or monitor 21 to open the contacts when the elevator is stopped and close the contacts when the elevator is started based on inputs from command unit 19.

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2837

9. Claims 3,4/3,5-7,8/5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nomura and applicants admitted prior art.

Nomura does not state that solid state device can substitute for the contacts.

Applicant states that solid state devices may be utilized instead of the contactors. Such a substitution is well known within the art of circuit breakers and would have been an obvious engineering design choice to one of ordinary skill in the art.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Nomura '938 and Araki et al are cited to illustrate similar elevator supply systems with disconnect.

A shortened statutory period for response to this action is set to expire 3 months from the date of this letter.

Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Any inquiry of a **general nature** should be directed to the **Group receptionist whose telephone number is (571) 272-2800**.

**Information regarding the STATUS of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or public PARI. Status information for unpublished applications is available through Private PAIR ONLY. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Any questions on access to PAIR, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).**

Papers related to this application may be submitted to Group 2800 by facsimile transmission. Papers should be faxed to Group 2800 via the PTO 2800 Fax Center. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989). The Fax Center number is (571) 273-8300.

For assistance in **Patent procedure, fees or general Patent questions** calls should be directed to the **Inventors Assistance Center (IAC) whose telephone number is 800-PTO-9199 or 800-786-9199**. Assistance is also available on the Internet at [www.uspto.gov](http://www.uspto.gov).

**For requesting copies of Cited Art, Office Actions or the like, response to Status Letters, lost papers or files or General Problem solving, calls should be directed to the TC 2800 Customer Service Office whose telephone number is 571-272-2800 or by fax at 571-273-8300.**


Any inquiry concerning **this communication or earlier communications from the examiner** should be directed to **Jonathan Salata whose telephone number is (571) 272-2073**. The examiner does not have as detailed access as the previously listed numbers with regard to status or general problem solving. The examiner can normally be reached on Monday through Thursday from 7:30 am to 2:30 pm.

Art Unit: 2837

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lincoln Donovan, can be reached on (571) 272-2800 ext 27.

ajs

January 4, 2007



**JONATHAN SALATA**  
**PRIMARY EXAMINER**  
**ART UNIT 2837**